

# MATERIAL SAFETY DATA SHEET

MSDS: 2005094010EU  
Date Prepared: 7,December,2005  
Date Revised :  
page 1 of 4

---

## 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Acid Dye Ink Y / M1 / C1 / O / B / M2 / C2

Distributed by:  
Konica Minolta IJ Technologies, Inc.  
Sakura-machi 1, Hino-shi, Tokyo 191-8511  
Japan  
Tel: +81-42-589-3708  
Fax: +81-42-589-3868

## 2.COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS#	wt. %	Symbol	R Phrases
Ethylene glycol	107-21-1	20 - 25	Xn	22

## 3.HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

```
*****  
* Colored liquid. Slight characteristic odor. *  
*****
```

### POTENTIAL HEALTH EFFECTS

Eye Effects : May cause eye and mucous membrane irritation.  
Skin Effects : May cause slight skin irritation.  
Ingestion Effects : May be harmful if swallowed.  
Inhalation Effects: No identified health effects.  
Chronic Effects/ Carcinogenicity:  
None of the components in this material is listed by IARC, EU or  
ACGIH as a carcinogen.

(Continued on page 2 )

# MATERIAL SAFETY DATA SHEET

MSDS: 2005094010EU

Date Prepared: 7, December, 2005

Date Revised :

Product Name: Acid Dye Ink Y / M1 / C1 / O / B / M2 / C2

page 2 of 4

---

## 4. FIRST AID MEASURES

- Eye : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Skin : Wash with water and mild soap for 15 minutes. If symptoms occur, get medical attention.
- Ingestion : Wash out mouth with water. Drink one or two glasses of water. Get medical attention immediately. ONLY induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.
- Inhalation: No exposure expected under normal conditions. Large amount of vapor or mist if inhaled, move victim to fresh air immediately. If symptoms occur, get medical attention.

## 5. FIRE FIGHTING MEASURES

- Flash Point : None
- Method Used : Not applicable
- Flammable Limits : Not applicable
- Autoignition Temperature : Not applicable
- Unusual Fire and Explosion Hazard: May be flammable when the moisture of the solution evaporates at high temperature.
- Extinguishing Media: Water spray, dry chemical, carbon dioxide, alcohol-resistant foam.
- Fire Fighting: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Apply cooling water to sides of containers that are exposed to flames. Combat fire out of sheltered position.
- Hazardous Combustion Products: Carbon monoxide(All), carbon dioxide(All), nitrogen oxides(Y,M1,C1,B), sulfur oxides(Y,M1,C1,B) and chlorine(M1), hydrogen chloride(M1).

## 6. ACCIDENTAL RELEASE MEASURES

- Spill and Leakage Procedures:  
Wear personal protective equipment(See Section 8). Ventilate closed spaces before entering. Absorb spill with inert material(e.g. dry sand or earth), then place in a chemical waste container.

## 7. HANDLING AND STORAGE

- Handling:  
Avoid contact with eyes, skin and clothing. Wear personal protective equipment (See Section 8). Use with adequate ventilation. Wash thoroughly after handling.
- Prevention of Fire and Explosion:  
No special precautionary measures should be required under normal use conditions.
- Storage:  
Keep container tightly closed. Store in a cool and dry place. Keep away from incompatible substances(See Section 10).

(Continued on page 3 )

# MATERIAL SAFETY DATA SHEET

MSDS: 2005094010EU

Date Prepared: 7,December,2005

Date Revised :

Product Name: Acid Dye Ink Y / M1 / C1 / O / B / M2 / C2

page 3 of 4

---

## 8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards:

INGREDIENTS	ACGIH TLV	
	TWA	STEL
Ethylene glycol	C 50ppm	

---

Engineering Controls: Use process enclosures or local exhaust ventilation.

Respiratory Protection: Not required under normal conditions.

Skin Protection: Impervious gloves should be worn.

Eye Protection: Splash goggles should be worn.

## 9.PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Colored liquid

Odor : Slight characteristic odor

pH : 7.0 - 8.0

Vapor Pressure : Not available.

Vapor Density : Not available.

Evaporation Rate: Not available.

Boiling Point : Not available.

Melting Point : Not applicable.

Solubility : Completely soluble in water.

Specific Gravity: 1.00 - 1.10

## 10.STABILITY AND REACTIVITY

Stability: Stable.

Incompatibility: Oxidizers.

Hazardous Decomposition Products:

Carbon monoxide(All), carbon dioxide(All), nitrogen oxides(Y,M1,C1,B), sulfur oxides(Y,M1,C1,B) and chlorine(M1), hydrogen chloride(M1).

Hazardous Polymerization: Will not occur.

## 11.TOXICOLOGICAL INFORMATION:

No data available.

(Continued on page 4 )

## MATERIAL SAFETY DATA SHEET

MSDS: 2005094010EU

Date Prepared: 7,December,2005

Date Revised :

Product Name: Acid Dye Ink Y / M1 / C1 / O / B / M2 / C2

page 4 of 4

---

### 12.ECOLOGICAL INFORMATION:

Ingredients

Ethylene glycol

Octanol/water partition coefficient: -1.930

### 13.DISPOSAL CONSIDERATIONS:

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

### 14.TRANSPORT INFORMATION:

UN CLASS: Not regulated.

### 15.REGULATORY INFORMATION:

Labeling according EEC-Regulations: No labels required.

### 16.OTHER INFORMATION:

The above information is believed to be accurate and represents the best information currently available to our company. However, our company make no warranty with respect to such information, and our company assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.