

Page:1/7

Product Name: DEVELOPER DV214K

SDS No.: MFP-5205

Prepared Date:18-Jun-2015 Revised Date: 10-Mar-2021

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: DEVELOPER DV214K

used for: bizhub C287/C227/C7528/C7522, Workplace Hub

Supplier Identification:

Konica Minolta, Inc. 2-7-2, Marunouchi, Chiyoda-ku, Tokyo, 100-7015, JAPAN Telephone: +81-42-660-9409 Facsimile: +81-42-660-9417

[China]

This product is not a hazardous chemical under Regulation on Safe Management of Hazardous Chemicals in China(Decree 591).

2. HAZARDS IDENTIFICATION

Regulation (EC) No 1272/2008

Classification: Not classified as dangerous.

Hazard Communication Standard (USA)

Classification: Not classified as dangerous.

LABEL ELEMENTS

Precautionary pictograms:	
Signal word:	
Hazard Statement:	
Precautionary Statements:	

Other Hazards

Dust explosion (like most finely divided organic powders).



SUS	No	•	MFP-5205
SDS	NO.	•	MEP=5205

			666 NO III 5205
Product Name: DEVELOPER DV2	14K		
		-	Date:18-Jun-2015
			Date: 10-Mar-2021
	ON INGREDIENTS	6	
Substance [] Preparati	ion [X]		
••••••			
Major Ingredients:			50 / 3
[Generic Name]	-	CAS No.]	[%]
Ferrite Iron oxide		1309-37-1	60-70
. Manganese oxide		1344-43-0	15-25
. Magnesium oxide		1309-48-4	1-10
Styrene-acrylic resin		+++	1-10
Acryl resin		+++	1-10
Carbon black		1333-86-4	<1
Amorphous silica	Ī	7631-86-9	<1
+++: Supplier's confidential information			
CAS No.: 1333-86-4 EINECS-No.: 215-609-9 NTP(USA): Not listed California Proposition 65(USA): Liste H code(EC): Not applicable Chemical Name: Manganese oxide CAS No.: 1344-43-0 H code(EC): Not applicable	IARC Monograp	ohs: Group 2B R): III 3B	01-2119384822-32-XXXX
4. FIRST-AID MEASURES			
Ingestion: Wash out mouth with water. attention.	. Drink one or two glasse	es of water. If sy	mptoms occur, get medical
Inhalation: Move victim to fresh air imm	nediately. If symptoms of	ccur, get medica	al attention.
Eye Contact: Immediately flush eyes with	plenty of water for 15 mir	nutes. If symptor	ms occur, get medical attentio
Skin Contact: Wash with water and mild s	soap.		
5. FIRE-FIGHTING MEASURES			
	nrow form and dry char	nicol	
Suitable Extinguishing Media: CO2, water s	pray, ioan and dry cher	IIICal	
Extinguishing Media to Avoid: Full water jet	ain lite maa t f uadh ¹⁰ -1-1		dana mana fama an annia in

Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

Protection of Firefighters: Use self-contained breathing apparatus(SCBA).



SDS No.: MFP-5205

Product Name: DEVELOPER DV214K

Prepared Date: 18-Jun-2015 Revised Date: 10-Mar-2021

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: None

Methods for Cleaning Up: Wear personal protective equipment(See Section 8). Vacuum or sweep material and place in a bag and hold for waste disposal. Use vacuum equipped with High Efficiency Particulate Air(HEPA) filter. Vacuum should be electrically bonded and grounded to dispel static electricity. To avoid dust generation, do not sweep dry.

7. HANDLING AND STORAGE

Handling

Technical Measures:NonePrecautions:Do not breathe dust. Avoid contact with eyes.Safe Handling Advice:Try not to disperse the particulates.StorageTechnical Measures:NoneStorage Conditions:Storage Conditions:Keep container closed. Store in a cool and dry place. Keep out of reach of children.Incompatible Products:NonePackaging Materials:Bottles or Cartridge designated by Konica Minolta.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures					
Ventilation:	Ventilation: None required with intended use.				
Control Parameters (As t	otal dust)				
ACGIH-TLV (USA):	10mg/m3 (Inhalable particles), 3.0 mg/m3 (Respirable particles)				
OSHA-PEL (USA):	15mg/m3 (Total dusts), 5.0 mg/m3 (Respirable fraction)				
DFG-MAK (GER):	4mg/m3 (Inhalable fraction), 1.5mg/m3 (Respirable fraction)				
Safe Work Australia	·TWA: 10mg/m3				
Control Parameters (As I	ngredients: Carbon black)				
ACGIH-TLV (USA):	3mg/m3				
OSHA Z-Table (US/	4): 3.5mg/m3				
Safe Work Australia	·TWA: 3mg/m3				
Control Parameters (As I	ngredients: Manganese oxide)				
ACGIH-TLV(USA): 0.1mg/m3(Mn;Inharable Fraction)				
0.02mg/m3(Mn;Respirable Fraction)					
OSHA Z-Tables(l	JSA):ceiling 5mg/m3				
Safe Work Australia	a-TWA: 1mg/m3(Mn)				
Personal Protective Equi	pment				
Not required under	normal conditions. For use other than in normal operating procedures (such as in the				
event of large spill), goggles and respirators may be required.					
Hygiene Measures: Wash hands after handling.					



Page:4/7

SDS No.: MFP-5205

Product Name: DEVELOPER DV214K

Prepared Date:18-Jun-2015 Revised Date: 10-Mar-2021

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State: Solid	Color: Black
Form: Powder (mean dia. is 30-40 um by volume	e)
Odor:	Almost odorless
PH	Not applicable
Boiling Point(°C):	Not applicable
Melting Point(°C)/[F]:	No data available
Flash Point(°C):	Not applicable
Auto-Ignition Temperature(°C):	No data available
Upper/ lower flammability or explosive limits	No data available
Explosion Properties:	No data available
Evaporation rate:	No data available
Vapor Pressure:	Not applicable
Vapor density:	Not applicable
Specific Gravity:	5
Solubility:	Insoluble in water.
Partition Coefficient, n-Octanol/Water:	Not applicable
Decomposition temperature:	Not applicable
Auto-Ignition Temperature(°C): Upper/ lower flammability or explosive limits Explosion Properties: Evaporation rate: Vapor Pressure: Vapor density: Specific Gravity: Solubility: Partition Coefficient, n-Octanol/Water:	No data available No data available No data available No data available Not applicable 5 Insoluble in water. Not applicable

10. STABILITY AND REACTIVITY

Reactivity:	None.
Stability:	Stable except above 200C(392F).
Hazardous Reactions:	Dust explosion, like most finely divided organic powders.
Conditions to avoid:	Electric discharge, throwing into fire.
Materials to Avoid:	Oxidizing materials.
Hazardous Decomposition Products	s: CO, CO2, and smoke.
Hazardous Polymerization:	Will not occur.



SAFETY DATA SHEET

Page:5/7

SDS No.: MFP-5205

Product Name: DEVELOPER DV214K

Prepared Date: 18-Jun-2015 Revised Date: 10-Mar-2021

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingestion(oral), LD50(mg/kg):	>2000(Rat) *
Dermal, LD50(mg/kg):	No data available
Inhalation, LC50(mg/l):	No data available
Eye irritation:	No data available
Skin irritation:	No data available
Skin sensitizer:	No data available
Level Effected and Character Tevisity a	n Lana tama Taviaitu

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

In a two-year inhalation study of chronic toxicity and carcinogenicity using a typical toner in rats, there were no lung changes at all in the lowest exposure level (1mg/m3), the most relevant level to potential human exposures. A minimal to mild degree of fibrosis was noted in 22% of the animals at the middle exposure level (4mg/m3), and a mild to moderate degree of fibrosis was observed in 92% of the rats at the highest exposure level(16mg/m3). The lung changes observed in the higher exposure groups are interpreted in terms of "lung overloading", a series of generic responses to the presence of large quantities of respirable, insoluble and relatively benign dusts retained for extended time periods in the lungs. Lung tumor frequency was unchanged among rats exposed to toner at the three exposure levels, and for air-only control rats.

Carcinogenicity

The IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Mutagenicity: Teratogenicity: Negative * (AMES test) No data available

(*= Based on data for other Konica Minolta Products with similar ingredients)

12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

Ecotoxicity:		No data available	
Mobility:		No data available	
Persistence	and	degradability: No data available	
Bioaccumulati	ive po	otential: No data available	

13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.



Page:6/7

SDS No.: MFP-5205

Product Name: DEVELOPER DV214K

Prepared Date:18-Jun-2015 Revised Date: 10-Mar-2021

14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations UN Classification: None Further information: Not a dangerous good under IATA or IMDG. Hazchem code (Austl.): None

15. REGULATORY INFORMATION

US Information

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

Ingredient carbon black subject to California Proposition 65 is bound in polymer-matrices so that warnings are not required.

CERCLA(Comprehensive Environmental Response Compensation and Liability Act) :

None.

SARA Title III (Superfund Amendments and Reauthorization Act) 302 Extreme Hazardous Substance : None.

311/312 Hazard Categories :

None.

313 Reportable Ingredients :

None.

EU Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

• Regulation (EC) No 2037/2000 of the European Parliament and of the Council on Substances That Deplete the Ozone Layer: Not applicable

• Regulation (EU) 2019/1021 of the European Parliament and of the Council on Persistent Organic Pollutants (POPs): Not applicable

• Regulation (EU) No 649/2012 of the European Parliament and of the Council on Concerning the Export and Import of Dangerous Chemicals (PIC): Not applicable

• Directive 2012/18/EU of the European Parliament and of the Council on the Control of Major-Accident Hazards Involving Dangerous Substances, Amending and Subsequently Repealing Council Directive 96/82/EC, (Seveso III): Not applicable

• Regulation (EC) No 1907/2006 of the European Parliament and of the Council:

- Annex XIV- List of Substances Subject To Authorization: Not applicable
- Annex XVII- Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Not applicable

For this product a chemical safety assessment was not carried out.



Page:7/7

SDS No.: MFP-5205

Product Name: DEVELOPER DV214K

Prepared Date: 18-Jun-2015 Revised Date: 10-Mar-2021

16. OTHER INFORMATION

HMIS Rating: The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0 IARC 2B means "possible human carcinogen". Explanation of term: Abbreviations: ACGIH-TWA: Threshold Limit Value of American Conference of Government Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act DFG-MAK: Maximale Arbeitsplatz-Konzentration by Deutsche Forschuugsgemeinschaft DGR: Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial Chemical Substances H-Code: Hazard Code HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code NTP: National Toxicology Program **OEL:** Occupational exposure limit OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act vPvB: very Persistent and very Bioaccumulative Revision Information: Regular revision on revised date. Literature References: ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299. **Restrictions:**

The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.