

Page:1/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: DEVELOPER DV614M

used for: bizhub PRESS C1070/C1070P/C1060, PRO C1060L, AccurioPress C2070/C2070P/C2060, AccurioPrint C2060L, AccurioPress C3080/C3080P/C3070, AccurioPrint C3070L, AccurioPress C4080/C4070, AccurioPrint C4065

Supplier Identification:

Konica Minolta Business Solutions (Canada), Ltd.5875 Explorer Drive Mississauga, OntarioL4W 0E1Telephone: (866)890-6600Facsimile: (905)283-2511

Emergency Telephone No. CHEMTREC Telephone: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Regulation (EC) No 1272/2008

Classification: Not classified as dangerous.

Hazard Communication Standard (USA)

Classification: Not classified as dangerous.

LABEL ELEMENTS

Precautionary pictograms:	
Signal word:	
Hazard Statement:	
Precautionary Statements:	

Other Hazards

Dust explosion (like most finely divided organic powders).



Page:2/7

SDS No.: MFP-3962

	k.	JDS NO MEI 3702
Product Name: DEVELOPER DV614M		
	_	date:15-Oct-2011
	Revised D	Date: 28-Feb-2022
3. COMPOSITION / INFORMATION ON INGREE	DIENTS	
Substance [] Preparation [X]		
Major Ingredients:		
[Generic Name]	[CAS No.]	[%]
Ferrite Iron oxide	1309-37-1	60-70
. Manganese oxide	1344-43-0	15-25
. Magnesium oxide	1309-48-4	1-10
Styrene-acrylic resin	+++	1-10
Acryl resin	+++	1-10
Amorphous silica	7631-86-9	<1
Hazardous Ingredients: Chemical Name: Manganese oxide CAS No.: 1344-43-0 EINEC H code(EC): Not applicable 4. FIRST-AID MEASURES	CS-No.: 215-695-8	
Ingestion: Wash out mouth with water. Drink one or tw	n alasses of water. If sym	ntoms occur det medical
attention.	e glacece el mater. Il eyri	iptorno ocoar, got modical
Inhalation: Move victim to fresh air immediately. If symp	otoms occur. get medical	attention.
Eye Contact: Immediately flush eyes with plenty of water for	-	
Skin Contact: Wash with water and mild soap.	, ,	
5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media: CO2, water spray, foam and o	ary cnemical	
Extinguishing Media to Avoid: Full water jet		
Fire and Explosion Hazards: If dispersed in air, like most fine	ery urvided organic powde	ers, may iorm an explosive
mixture.		
Protection of Firefighters: Use self-contained breathing	apparalus(SCBA).	



Page:3/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None Environmental Precautions: None

Methods for Cleaning Up: Wear personal protective equipment(See Section 8). Vacuum or sweep material and place in a bag and hold for waste disposal. Use vacuum equipped with High Efficiency Particulate Air(HEPA) filter. Vacuum should be electrically bonded and grounded to dispel static electricity. To avoid dust generation, do not sweep dry.

7. HANDLING AND STORAGE

Handling

Technical Measures: None

Precautions: Do not breathe dust. Avoid contact with eyes.

Safe Handling Advice: Try not to disperse the particulates.

Storage

Technical Measures: None

Storage Conditions: Keep container closed. Store in a cool and dry place. Keep out of reach of children. Incompatible Products: None

Incompatible Products. None

Packaging Materials: Bottles or Cartridge designated by Konica Minolta.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures Ventilation: None required with intended use. Control Parameters(As total dust) ACGIH-TLV(USA): 10mg/m3 (Inhalable particles), 3.0 mg/m3 (Respirable particles) OSHA-PEL(USA): 15mg/m3 (Total dusts), 5.0 mg/m3 (Respirable fraction) DFG-MAK(GER): 4mg/m3 (Inhalable fraction), 1.5mg/m3 (Respirable fraction) Safe Work Australia-TWA: 10mg/m3 Control Parameters (As Ingredients: Manganese oxide) ACGIH-TLV(USA): 0.1mg/m3(Mn;Inharable Fraction) 0.02mg/m3(Mn;Respirable Fraction) OSHA Z-Tables(USA):ceiling 5mg/m3

Safe Work Australia-TWA: 1mg/m3

Personal Protective Equipment

Not required under normal conditions. For use other than in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.

Hygiene Measures: Wash hands after handling.



Page:4/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance		
Physical State: Solid	Color: Red	
Form: Powder (mean dia. is 30-40 um by volume)		
Odor:	Almost odorless	
PH	Not applicable	
Boiling Point(°C):	Not applicable	
Melting Point(°C):	Around No data available /[] (Softening Point)	
Flash Point(°C):	Not applicable	
Auto-Ignition Temperature(°C):	No data available	
Upper/ lower flammability or explosive limits	No data available	
Explosion Properties:	No data available	
Evaporation rate:	No data available	
Vapor Pressure:	Not applicable	
Vapor density:	Not applicable	
Specific Gravity:	5.0	
Solubility:	Insoluble in water.	
Partition Coefficient, n-Octanol/Water:	Not applicable	
Decomposition temperature:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity:	None.
Stability:	Stable except above 200C(392F).
Hazardous Reactions:	Dust explosion, like most finely divided organic powders.
Conditions to avoid:	Electric discharge, throwing into fire.
Materials to Avoid:	Oxidizing materials.
Hazardous Decomposition Products:	CO, CO2, and smoke.
Hazardous Polymerization:	Will not occur.



Page:5/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingestion(oral), LD50(mg/kg):	>2000 (Rat) *
Dermal, LD50(mg/kg):	No data available
Inhalation, LC50(mg/l):	No data available
Eye irritation:	No data available
Skin irritation:	No data available
Skin sensitizer:	No data available

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration(16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle(4mg/m³) exposure group. But no pulmonary change was reported in the lowest(1mg/m³) exposure group, the most relevant level to potential human exposures.

Carcinogenicity

IARC Monographs:	Not listed	
NTP(USA):	Not listed	
OSHA Regulated(USA):	Not listed	
Mutagenicity:	Negative * (AMES test)	
Teratogenicity:	No data available	
Describer des fan ettern Kensie en Minelte Dredwete witte einsiden in en e		

(*= Based on data for other Konica Minolta Products with similar ingredients)

12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

Ecotoxicity:		No data available
Mobility:		No data available
Persistence an	d degradability:	No data available
Bioaccumulative	potential:	No data available

13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.



Page:6/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations UN Classification: None Further information: Not a dangerous good under IATA or IMDG. Hazchem code (Austl.): None

15. REGULATORY INFORMATION

US Information

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

This product contains no chemical substances subject to California Proposition 65.

CERCLA(Comprehensive Environmental Response Compensation and Liability Act) :

None.

SARA Title III (Superfund Amendments and Reauthorization Act) 302 Extreme Hazardous Substance : None.

311/312 Hazard Categories :

None.

313 Reportable Ingredients :

None.

EU Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

• Regulation (EC) No 2037/2000 of the European Parliament and of the Council on Substances That Deplete the Ozone Layer: Not applicable

• Regulation (EU) 2019/1021 of the European Parliament and of the Council on Persistent Organic Pollutants (POPs): Not applicable

• Regulation (EU) No 649/2012 of the European Parliament and of the Council on Concerning the Export and Import of Dangerous Chemicals (PIC): Not applicable

• Directive 2012/18/EU of the European Parliament and of the Council on the Control of Major-Accident Hazards Involving Dangerous Substances, Amending and Subsequently Repealing Council Directive 96/82/EC, (Seveso III): Not applicable

• Regulation (EC) No 1907/2006 of the European Parliament and of the Council:

- Annex XIV- List of Substances Subject To Authorization: Not applicable
- Annex XVII- Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Not applicable

For this product a chemical safety assessment was not carried out.



Page:7/7

SDS No.: MFP-3962

Product Name: DEVELOPER DV614M

Prepared date:15-Oct-2011 Revised Date: 28-Feb-2022

16. OTHER INFORMATION

The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0 HMIS Rating: Explanation of term: IARC 2B means "possible human carcinogen". Abbreviations: ACGIH-TWA: Threshold Limit Value of American Conference of Government Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act DFG-MAK: Maximale Arbeitsplatz-Konzentration by Deutsche Forschuugsgemeinschaft DGR: Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial Chemical Substances H-Code: Hazard Code HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code NTP: National Toxicology Program **OEL:** Occupational exposure limit OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act

vPvB: very Persistent and very Bioaccumulative

Revision Information: Regular revision on revised date.

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie,

P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991)

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

Restrictions:

The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.