

Page:1/8

SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Name: DEVELOPER (BLACK) DV510K

**1.2. Relevant identified uses of the substance or mixture and uses advised against** used for: bizhub PRO C500, 8050, 8150

#### 1.3. Details of the supplier of the safety data sheet

Supplier Identification:

Konica Minolta Business Solutions Europe GmbHEuropaallee 17, D-30855 Langenhagen, Germanye-mail address : env@konicaminolta.euTelephone: +49-(0)511-7404-361Facsimile: +49-(0)511-7404-396

## 1.4. Emergency telephone number

Information centre specialized on symptoms of poisoning Telephone: +49-30-19240

# 2. HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

## **Regulation (EC) No 1272/2008**

Classification: Not classified as dangerous.

## Hazard Communication Standard (USA)

Classification: Not classified as dangerous.

## 2.2. Label elements

| Precautionary pictograms: |  |
|---------------------------|--|
| Signal word:              |  |
| Hazard Statement:         |  |
| Precautionary Statements: |  |

## 2.3. Other hazards

Dust explosion (like most finely divided organic powders).



Page:2/8

SDS No.: MFP-3054

| Product Name: DEVELOPER (BLACK           | K) DV510K                 |  |                   |
|--|---------------------------|--|-------------------|
|  |                           | Prepared   | Date:26-Aug-2004  |
|  |                           | Revised I  | Date: 14-Oct-2022 |
| 3. COMPOSITION / INFORMATION ON          | INGREDIEN                 | ITS  |                   |
| 3.2. Mixtures                            |                           |  |                   |
| Major Ingredients:                       |                           |  |                   |
| [Generic Name]                           |                           | [CAS No.]  | [%]               |
| Ferrite Iron oxide                       |                           | 1309-37-1  | 60-70             |
| . Manganese oxide                        |                           | 1344-43-0  | 15-25             |
| . Magnesium oxide                        |                           | 1309-48-4  | 1-10              |
| Styrene-acrylic resin                    |                           | +++  | 1-10              |
| Acryl resin                              |                           | +++  | 1-10              |
| Carbon black                             |                           | 1333-86-4  | <1                |
| +++: Supplier's confidential information |                           |  |                   |
| Hazardous Ingredients:                   |                           |  |                   |
| Chemical Name: Carbon black              |                           |  |                   |
| CAS No.: 1333-86-4                       |                           |  |                   |
| EINECS-No.: 215-609-9                    | REACH Req                 | REACH Registration number: 01-2119384822-32-XXXX |                   |
| NTP(USA): Not listed                     | IARC Monographs: Group 2B |  |                   |
| California Proposition 65(USA): Listed   |                           |  |                   |
| H code(EC): Not applicable               | DFG-MAK(                  | DFG-MAK(GER): III 3B                             |                   |
| Chemical Name: Manganese oxide           |                           |  |                   |
| CAS No.: 1344-43-0                       | EINECS-No                 | o.: 215-695-8                                    |                   |
| H code(EC): Not applicable               |                           |  |                   |

# 4. FIRST-AID MEASURES

## 4.1. Description of first aid measures

Ingestion: Wash out mouth with water. Drink one or two glasses of water. If symptoms occur, get medical attention.

Inhalation: Move victim to fresh air immediately. If symptoms occur, get medical attention.

Eye Contact: Immediately flush eyes with plenty of water for 15 minutes. If symptoms occur, get medical attention. Skin Contact: Wash with water and mild soap.

# 4.2. Most important symptoms and effects, both acute and delayed

Not available.

## **4.3. Indication of any immediate medical attention and special treatment needed** Not available.

## 5. FIRE-FIGHTING MEASURES

## 5.1. Extinguishing media

Suitable Extinguishing Media: CO2, water spray, foam and dry chemical Extinguishing Media to Avoid: Full water jet

## 5.2. Special hazards arising from the substance or mixture

Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

## 5.3. Advice for firefighters

Protection of Firefighters: Use self-contained breathing apparatus(SCBA).



Page:3/8

SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

# 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment (See Section 8).

## 6.2. Environmental precautions

None

## 6.3. Methods and material for containment and cleaning up

Vacuum or sweep material and place in a bag and hold for waste disposal.

Use vacuum equipped with High Efficiency Particulate Air(HEPA) filter.

Vacuum should be electrically bonded and grounded to dispel static electricity.

To avoid dust generation, do not sweep dry.

# 6.4. Reference to other sections

None

# 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Technical Measures: None

Precautions: Do not breathe dust. Avoid contact with eyes.

Safe Handling Advice: Try not to disperse the particulates.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical Measures: None

Storage Conditions: Keep container closed. Store in a cool and dry place. Keep out of reach of children. Incompatible Products: None

Packaging Materials: Bottles or Cartridge designated by KonicaMinolta.

## 7.3. Specific end use(s)

Not available.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTIO

# 8.1. Control parameters

Control Parameters (As total dust)

ACGIH-TLV (USA): 10mg/m3 (Inhalable particles), 3.0 mg/m3 (Respirable particles) OSHA-PEL (USA): 15mg/m3 (Total dusts), 5.0 mg/m3 (Respirable fraction) DFG-MAK (GER): 4mg/m3 (Inhalable fraction), 1.5mg/m3 (Respirable fraction) Safe Work Australia-TWA: 10mg/m3 Control Parameters (As Ingredients: Carbon black) ACGIH-TLV (USA): 3mg/m3 OSHA Z-Table (USA): 3.5mg/m3 Safe Work Australia-TWA: 3mg/m3 Control Parameters (As Ingredients: Manganese oxide) ACGIH-TLV(USA): 0.1mg/m3(Mn;Inharable Fraction) 0.02mg/m3(Mn;Respirable Fraction) OSHA Z-Tables(USA):ceiling 5mg/m3 Safe Work Australia-TWA: 1mg/m3(Mn)

# 

# SAFETY DATA SHEET

Page:4/8

SDS No.: MFP-3054

## Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

# 8.2. Exposure controls

# **Engineering Measures**

Ventilation: None required with intended use.

#### Personal Protective Equipment

Not required under normal conditions. For use other than in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.

Hygiene Measures: Wash hands after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

#### Appearance

| Physical State: Solid                         | Color: Black                        |
|---|-------------------------------------|
| Form: Powder (mean dia. is 30 um by volume)   |                                     |
| Odor:   | Almost odorless                     |
| PH  | Not applicable                      |
| Boiling Point(°C):                            | Not applicable                      |
| Melting Point(°C)/[F]:                        | Around 125 /[257] (Softening Point) |
| Flash Point(°C):                              | Not applicable                      |
| Auto-Ignition Temperature(°C):                | No data available                   |
| Upper/ lower flammability or explosive limits | No data available                   |
| Explosion Properties:                         | No data available                   |
| Evaporation rate:                             | No data available                   |
| Vapor Pressure:                               | Not applicable                      |
| Vapor density:                                | Not applicable                      |
| Specific Gravity:                             | 5.0                                 |
| Solubility:                                   | Insoluble in water.                 |
| Partition Coefficient, n-Octanol/Water:       | Not applicable                      |
| Decomposition temperature:                    | Not applicable                      |
| 9.2. Other information                        |                                     |

No data available

# 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

Hazardous Polymerization: Will not occur.

## 10.2. Chemical stability

Stable except above 200C(392F).

## 10.3. Possibility of hazardous reactions

Dust explosion, like most finely divided organic powders.

#### 10.4. Conditions to avoid

Conditions to avoid: Electric discharge, throwing into fire. Materials to Avoid: Oxidizing materials.

## 10.5. Incompatible materials

No Information.

## 10.6. Hazardous decomposition products

CO, CO2, and smoke.



Page:5/8

SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

## 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute Toxicity:

| Ingestion(oral), LD50(mg/kg):                    | >2500(Rat) *                  |  |
|--|-------------------------------|--|
| Dermal, LD50(mg/kg):                             | No data available             |  |
| Inhalation, LC50(mg/l):                          | No data available             |  |
| (This was the highest attainable concentration.) |                               |  |
| Eye irritation:                                  | No data available             |  |
| Skin irritation:                                 | Mild irritant(Rabbit) *       |  |
| Skin sensitizer:                                 | Non sensitizer (Guinea pig) * |  |
|  |                               |  |

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

In a two-year inhalation study of chronic toxicity and carcinogenicity using a typical toner in rats, there were no lung changes at all in the lowest exposure level (1mg/m3), the most relevant level to potential human exposures. A minimal to mild degree of fibrosis was noted in 22% of the animals at the middle exposure level (4mg/m3), and a mild to moderate degree of fibrosis was observed in 92% of the rats at the highest exposure level(16mg/m3). The lung changes observed in the higher exposure groups are interpreted in terms of "lung overloading", a series of generic responses to the presence of large quantities of respirable, insoluble and relatively benign dusts retained for extended time periods in the lungs. Lung tumor frequency was unchanged among rats exposed to toner at the three exposure levels, and for air-only control rats.

Carcinogenicity

The IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Mutagenicity:

Negative \* (AMES test)

Teratogenicity: No data available

(\*= Based on data for other Konica Minolta Products with similar ingredients)

11.2. Information on other hazards

No data available.



Page:6/8

SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

## 12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

## 12.1. Toxicity

No data available

# 12.2. Persistence and degradability

No data available

**12.3. Bioaccumulative potential** No data available

#### 12.4. Mobility in soil

No data available

## **12.5. Results of PBT and vPvB assessment** No data available

- **12.6. Endocrine disrupting properties** No data available
- 12.7. Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATION

## 13.1. Waste treatment methods

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

## 14. TRANSPORT INFORMATION

## 14.1. UN number or ID number

None (Not a dangerous good under IATA or IMDG.)

## 14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

## 14.6. Special precautions for user

None

14.7. Maritime transport in bulk according to IMO instruments

None



SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

# **15. REGULATORY INFORMATION**

# **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** EU Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

• Regulation (EC) No 1005/2009 of the European Parliament and of the Council on Substances That Deplete the Ozone Layer: Not applicable

• Regulation (EU) 2019/1021 of the European Parliament and of the Council on Persistent Organic Pollutants (POPs): Not applicable

• Regulation (EU) No 649/2012 of the European Parliament and of the Council on Concerning the Export and Import of Dangerous Chemicals (PIC): Not applicable

• Directive 2012/18/EU of the European Parliament and of the Council on the Control of Major-Accident Hazards Involving Dangerous Substances, Amending and Subsequently Repealing Council Directive 96/82/EC, (Seveso III): Not applicable

• Regulation (EC) No 1907/2006 of the European Parliament and of the Council:

- Annex XIV- List of Substances Subject To Authorization: Not applicable
- Annex XVII- Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Not applicable

**US** Information

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

Ingredient carbon black subject to California Proposition 65 is bound in polymer-matrices so that warnings are not required.

CERCLA(Comprehensive Environmental Response Compensation and Liability Act) :

None.

SARA Title III (Superfund Amendments and Reauthorization Act) 302 Extreme Hazardous Substance : None.

311/312 Hazard Categories :

None.

313 Reportable Ingredients :

None.

## 15.2. Chemical safety assessment

For this product a chemical safety assessment was not carried out.



Page:8/8

SDS No.: MFP-3054

Product Name: DEVELOPER (BLACK) DV510K

Prepared Date: 26-Aug-2004 Revised Date: 14-Oct-2022

## **16. OTHER INFORMATION**

HMIS Rating: The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0 IARC 2B means "possible human carcinogen". Explanation of term: Abbreviations: ACGIH-TWA: Threshold Limit Value of American Conference of Government Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act DFG-MAK: Maximale Arbeitsplatz-Konzentration by Deutsche Forschuugsgemeinschaft DGR: Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial Chemical Substances H-Code: Hazard Code HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code NTP: National Toxicology Program **OEL:** Occupational exposure limit OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act vPvB: very Persistent and very Bioaccumulative Revision Information: Regular revision on revised date. Literature References: ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299. **Restrictions:** The above information is believed to be accurate and represents the best information currently available to

Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.