

Page:1/7

SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date:25-Dec-2013 Revised Date: 28-Oct-2021

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: DEVELOPER DV012 used for: bizhub PRO 1100, AccurioPrint 2100

Supplier Identification:

Konica Minolta Business Solutions U.S.A., Inc. 100 Williams Drive, Ramsey, New Jersey 07446, U.S.A. Telephone: 201-825-4000

Emergency Telephone No. CHEMTREC Telephone: 1-800-424-9300

# 2. HAZARDS IDENTIFICATION Regulation (EC) No 1272/2008

Classification: Not classified as dangerous.

## Hazard Communication Standard (USA)

Classification: Not classified as dangerous.

## LABEL ELEMENTS

Precautionary pictograms:	
Signal word:	
Hazard Statement:	
Precautionary Statements:	

#### **Other Hazards**

Dust explosion (like most finely divided organic powders).



Protection of Firefighters:

SDS	No.:	MFP-1243
	INO • •	

Ρı	roduct Nam	ne: DEVELOPER DV012				
				-	ed Date:25-Dec	
				Revised	l Date: 28-Oct	z-2021
3.	COMPOSIT	TION / INFORMATION ON	INGREDIENTS	1		
	Substance [	] Preparation [2	X]			
	Major Ingredie	ents:				
	[Gener	ic Name]	[C	AS No.]	[%]	
	Ferrite	Iron oxide	1	309-37-1	60-70	
		Manganese oxide	1	344-43-0	20-30	
		Magnesium oxide	1	309-48-4	1-10	
	Styrene	e-acrylic resin	+	++	1-10	
	Acryl re	esin	+	-++	1-10	
	Carbor	) black	1	333-86-4	< 1	
	+++: Supplier's (	confidential information				
	Hazardous In	•				
		lame: Carbon black				
		lo.: 1333-86-4				
		S-No.: 215-609-9	•		: 01-2119384822-32->	XXXX
	•	ISA): Not listed	IARC Monograp	hs: Group 2E	3	
		nia Proposition 65(USA): Listed				
	H code	e(EC): Not applicable	DFG-MAK(GEF	२): III 3B		
	Chemical N	lame: Manganese oxide				
	CAS N	lo.: 1344-43-0	EINECS-No.: 215-695-8			
	H code	e(EC): Not applicable				
4.	FIRST-AID	MEASURES				
	Ingestion:	Wash out mouth with water. Drin	nk one or two alasse	s of water lf	symptoms occur det r	nedical
	ingestion.	attention.	in one of two glasse		Symptoms occur, get i	ncaicai
	Inhalation:	Move victim to fresh air immedia	tely. If symptoms or	cur aet medi	ical attention	
	Eye Contact:	Immediately flush eyes with plent		-		
	Skin Contact:	Wash with water and mild soap.		utes. II sympt	unis occui, germedice	
	Skin Contact.	wash with water and mild soap.	•			
5.	FIRE-FIGH	TING MEASURES				
	Suitable Exting	juishing Media: CO2, water spray,	, foam and dry chem	nical		
	Extinguishing Media to Avoid: Full water jet					
	Fire and Explo	sion Hazards: If dispersed in air, lil	ke most finely divide	d organic pov	wders, may form an ex	kplosive
		mixture.				

Use self-contained breathing apparatus(SCBA).



SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date: 25-Dec-2013 Revised Date: 28-Oct-2021

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: None

Methods for Cleaning Up: Wear personal protective equipment(See Section 8). Vacuum or sweep material and place in a bag and hold for waste disposal. Use vacuum equipped with High Efficiency Particulate Air(HEPA) filter. Vacuum should be electrically bonded and grounded to dispel static electricity. To avoid dust generation, do not sweep dry.

#### 7. HANDLING AND STORAGE

Handling

Technical Measures:NonePrecautions:Do not breathe dust. Avoid contact with eyes.Safe Handling Advice:Try not to disperse the particulates.StorageTechnical Measures:Storage Conditions:Keep container closed. Store in a cool and dry place. Keep out of reach of children.Incompatible Products:NonePackaging Materials:Bottles or Cartridge designated by Konica

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering N	leasures				
Ventilatio	Ventilation: None required with intended use.				
Control Paran	Control Parameters (As total dust)				
ACGIH-T	LV (USA):	10mg/m3 (Inhalable particles),	3.0 mg/m3 (Respirable particles)		
OSHA-PI	EL (USA):	15mg/m3 (Total dusts),	5.0 mg/m3 (Respirable fraction)		
DFG-MA	K (GER):	4mg/m3 (Inhalable fraction),	1.5mg/m3 (Respirable fraction)		
Safe Wor	k Australia-TWA	: 10mg/m3			
Control Paran	eters (As Ingred	ients: Carbon black)			
ACGIH-T	LV (USA):	3mg/m3			
OSHA Z-	Table (USA):	3.5mg/m3			
Safe Wor	k Australia-TWA	: 3mg/m3			
Control Param	eters (As Ingredi	ents: Manganese oxide)			
ACGIH-TLV(USA): 0.1mg/m3(Mn;Inharable Fraction)					
0.02mg/m3(Mn;Respirable Fraction)					
OSHA Z-Tables(USA):ceiling 5mg/m3					
Safe Wo	rk Australia-TWA	A: 1mg/m3(Mn)			
Personal Prot	ective Equipment	t			
Not requ	red under norm	al conditions. For use other than	in normal operating procedures (such as in the		
event of large spill), goggles and respirators may be required.					
Hygiene Measures: Wash hands after handling.					



# SAFETY DATA SHEET

Page:4/7

SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date:25-Dec-2013 Revised Date: 28-Oct-2021

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State: Solid	Color: Black
Form: Powder (mean dia. is about 60 um by vol	ume)
Odor:	Almost odorless
PH	Not applicable
Boiling Point(°C):	Not applicable
Melting Point(°C)/[F]:	Around 125 /[257] (Softening Point)
Flash Point(°C):	Not applicable
Auto-Ignition Temperature(°C):	No data available
Upper/ lower flammability or explosive limits	No data available
Explosion Properties:	No data available
Evaporation rate:	No data available
Vapor Pressure:	Not applicable
Vapor density:	Not applicable
Specific Gravity:	5.0
Solubility:	Insoluble in water.
Partition Coefficient, n-Octanol/Water:	Not applicable
Decomposition temperature:	Not applicable

# 10. STABILITY AND REACTIVITY

Reactivity:	None.
Stability:	Stable except above 200C(392F).
Hazardous Reactions:	Dust explosion, like most finely divided organic powders.
Conditions to avoid:	Electric discharge, throwing into fire.
Materials to Avoid:	Oxidizing materials.
Hazardous Decomposition Products	: CO, CO2, and smoke.
Hazardous Polymerization:	Will not occur.



# SAFETY DATA SHEET

Page:5/7

SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date:25-Dec-2013 Revised Date: 28-Oct-2021

# 11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingestion(oral), LD50(mg/kg):	>2000(Rat) *
Dermal, LD50(mg/kg):	No data available
Inhalation, LC50(mg/l):	No data available
Eye irritation:	No data available
Skin irritation:	No data available
Skin sensitizer:	No data available
Level Effecter and Chronic Tevicity	n Laura tama Taviaitu

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

In a two-year inhalation study of chronic toxicity and carcinogenicity using a typical toner in rats, there were no lung changes at all in the lowest exposure level (1mg/m3), the most relevant level to potential human exposures. A minimal to mild degree of fibrosis was noted in 22% of the animals at the middle exposure level (4mg/m3), and a mild to moderate degree of fibrosis was observed in 92% of the rats at the highest exposure level(16mg/m3). The lung changes observed in the higher exposure groups are interpreted in terms of "lung overloading", a series of generic responses to the presence of large quantities of respirable, insoluble and relatively benign dusts retained for extended time periods in the lungs. Lung tumor frequency was unchanged among rats exposed to toner at the three exposure levels, and for air-only control rats.

Carcinogenicity

The IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Mutagenicity: Teratogenicity: Negative (AMES test) No data available

(\*= Based on data for other Konica Minolta Products with similar ingredients)

# 12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

Ecotoxicity:		No data available	
Mobility:		No data available	
Persistence	and	degradability: No data available	
Bioaccumulative potential:		otential: No data available	

## 13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.



# SAFETY DATA SHEET

Page:6/7

SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date:25-Dec-2013 Revised Date: 28-Oct-2021

## 14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations UN Classification: None Further information: Not a dangerous good under IATA or IMDG. Hazchem code (Austl.): None

## 15. REGULATORY INFORMATION

#### **US** Information

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

Ingredient carbon black subject to California Proposition 65 is bound in polymer-matrices so that warnings are not required.

CERCLA(Comprehensive Environmental Response Compensation and Liability Act) :

None.

SARA Title III (Superfund Amendments and Reauthorization Act) 302 Extreme Hazardous Substance : None.

311/312 Hazard Categories :

None.

313 Reportable Ingredients :

None.

### EU Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

• Regulation (EC) No 2037/2000 of the European Parliament and of the Council on Substances That Deplete the Ozone Layer: Not applicable

• Regulation (EU) 2019/1021 of the European Parliament and of the Council on Persistent Organic Pollutants (POPs): Not applicable

• Regulation (EU) No 649/2012 of the European Parliament and of the Council on Concerning the Export and Import of Dangerous Chemicals (PIC): Not applicable

• Directive 2012/18/EU of the European Parliament and of the Council on the Control of Major-Accident Hazards Involving Dangerous Substances, Amending and Subsequently Repealing Council Directive 96/82/EC, (Seveso III): Not applicable

• Regulation (EC) No 1907/2006 of the European Parliament and of the Council:

- Annex XIV- List of Substances Subject To Authorization: Not applicable
- Annex XVII- Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Not applicable

For this product a chemical safety assessment was not carried out.



Page:7/7

SDS No.: MFP-1243

Product Name: DEVELOPER DV012

Prepared Date:25-Dec-2013 Revised Date: 28-Oct-2021

## **16. OTHER INFORMATION**

HMIS Rating: The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0 IARC 2B means "possible human carcinogen". Explanation of term: Abbreviations: ACGIH-TWA: Threshold Limit Value of American Conference of Government Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act DFG-MAK: Maximale Arbeitsplatz-Konzentration by Deutsche Forschuugsgemeinschaft DGR: Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial Chemical Substances H-Code: Hazard Code HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code NTP: National Toxicology Program **OEL: Occupational exposure limit** OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic SARA: Superfund Amendments and Reauthorization Act **TSCA: Toxic Substances Control Act** vPvB: very Persistent and very Bioaccumulative Revision Information: Regular revision on revised date. Literature References: ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299. Restrictions: The above information is believed to be accurate and represents the best information currently available to

Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to

determine the suitability of the information for their particular purposes.